

36 KINGSTHORPE ROAD
HOVE
BN3 5HR
Tel 01273 260 260
Fax 01273 260 270
E-mail artbox@lawrence.co.uk

Dr Martins Bleedproof White Drawing Ink

(TNL 846600)

1. Identification of the substance/preparation and of the company/undertaking

Product name: Dr PH Martin's bleed proof white
Stock codes: 846600
Relevant identified uses of the substance or mixture:
Drawing ink
Company name: Salis International, Inc.
301 Commercial Road Suite H
Golden, Colorado 80401
Tel: 303-384-3588
Fax: 303-384-0030
Email: docmar9@mac.com
Emergency Number: 954-501-3136MOB
Poison Control Center: 1-888-516-2502

2. Hazards identification

2.1. Classification of the substance or mixture

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Serious Eye Damage - Category 1

Hazardous to the Aquatic Environment - Acute - Category 1

Hazardous to the Aquatic Environment - Chronic - Category 1

2.2. Label elements:

Label in accordance with EU- Directive 67/548: not hazardous



Signal word

Danger

Hazard Statements

Causes serious eye damage
Very toxic to aquatic life
Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response Collect spillage. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

3. Composition/information on ingredients

Ingredient	CAS #	PEL/TLV (MG/M#)	Max % weight	NTP	IARC
Zinc Sulphate	7733-02-0	N/A	18.20000	N	N

4. First aid measures

4.1. Description of first aid measures

Ingestion Get prompt medical attention.

Eye contact Rinse with tap water for 5-10 minutes. If irritation persists, seek medical care.

5. Fire-fighting measures

5.1. Extinguishing media

No special media required.

5.2. Special hazards arising from the substance or mixture

Not combustible or explosive.

5.3. Advice for fire-fighters

No special fire fighting procedures required.

6. Accidental release measures

Methods and material for containment and cleaning up

Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

7. Handling and storage

Precautions for safe handling and storage:

Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

8. Exposure controls/personal protection

Respiratory protection and special ventilation requirements: When spray painting, use NIOSH-certified mask for dusts or mists.

Other protective equipment (gloves, goggles, etc): None required

Work/Hygiene practices: Keep away from eyes. Avoid ingestion.

Engineering Controls: Keep out of reach of children

9 Physical and chemical properties

Physical form	Paste
Colour	White
Boiling point (°C)	N/A
Autoignition Temperature:	N/A
Flash point	N/A
Melting point:	N/A
Explosion limit in air (% by volume):	Not explosive
Vapour pressure	N/A
Specific gravity	N/A
Specific Vapour density (air=1)	N/A
Solubility in water:	N/A
Reactivity in water:	Non-reactive

10. Stability and reactivity

Hazardous polymerisation products: None
Stability: Stable
Conditions to avoid: None
Incompatibility (materials to avoid): None
Hazardous decomposition products: None

11. Toxicological information

Acute effects associated with the use of this material:

Eye Irritant

May be harmful if swallowed.

Contact may result in redness or pain of the eyes.

The summated LD50 is >50000mg/kg.

12. Ecological information

Aquatic hazard statements:

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

13. Disposal considerations

RCRA hazard class (40 CFR 261): This product is not classified as a hazardous waste.

Waste disposal method: Dispose of in accordance with federal, state and local regulations.

14. Transport information

US DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 1910.1200.

15. Regulatory information

Contents of this SDS comply with OSHA hazard communication standard 29 CFR 1910.1200

EPA SARA title III chemical listings

None

Section 302.4 extremely hazardous substances (40 CFR 355)

None

Section 313 toxic chemicals (40 CFR 372)

None

International Regulations

Canadian WHMIS: This product is a controlled product under Canada's workplace hazardous materials information system. It contains the following toxic or highly toxic materials:

Gum Arabic

Zinc Sulphate

Supplemental state compliance information:

This product contains the following chemical(s) listed under New Jersey's right to know program:

Gum Arabic

Pigment White 6

This product contains the following chemical(s) requiring notification to the state of Washington under their Children's Safe Products Act:

None

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labelling:

WARNING: MAY BE HARMFUL IF SWALLOWED. EYE IRRITANT.

Contains: ZINC SULFATE

Precautions: Keep away from eyes. Avoid ingestion. **KEEP OUT OF REACH OF CHILDREN.**

First aid treatment: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If swallowed, get prompt medical attention.

For acutely hazardous products, the name and place of business of the manufacturer, packer, distributor or seller must appear on the label. A US telephone number to obtain more information is recommended but not required.

16. Other information

Last revision date: **12/04/2015**

Prepared by Duke OEM Toxicology

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

Brand Name

SKU

BLEED PROOF WHITE